

Author Index

- Abraham, D., see Mok, M., 173
 Adeoye, G.O., see Doenhoff, M.J., 233
 Akué, J.-P., see Egwang, T.G., 251, 263
 Anders, R.F., see Coppel, R.L., 223
 Anders, R.F., see Triglia, T., 199
 Archer, S., see Pica-Mattoccia, L., 87
- Bacchi, C.J., see Yarlett, N., 1
 Barnard, B.J., see Karcz, S.R., 163
 Barnard, J.P. and Pedersen, P.L.
 Purification in a single step and kinetic characterization of the pyruvate kinase of *Trypanosoma brucei*, 141
 Bates, P.A., see Gardner, M.J., 11
 Beach, D.H., Goad, L.J. and Holz, G.G., Jr.
 Effects of antimycotic azoles on growth and sterol biosynthesis of *Leishmania* promastigotes, 149
 Beecroft, R.P., see Richardson, J.P., 203
 Booth, R.G., see Sirawaraporn, W., 79
 Borst, P., see Crozatier, M., 127
- Choi, I. and Mego, J.L.
 Purification of *Plasmodium falciparum* digestive vacuoles and partial characterization of the vacuolar membrane ATPase, 71
 Cioli, D., see Pica-Mattoccia, L., 87
 Cooney, D.A., see Finley, R.W., 133
 Coppel, R.L., Lustigam, S., Murray, L. and Anders, R.F.
 MESA is a *Plasmodium falciparum* phosphoprotein associated with the erythrocyte membrane skeleton, 223
 Crewther, P.E., see Triglia, T., 199
 Crozatier, M., De Brij, R.J., Den Engelse, L., Johnson, P.J. and Borst, P.
 Nucleoside analysis of DNA from *Trypanosoma brucei* and *Trypanosoma equiperdum*, 127
 Curtis, R.H.C., see Doenhoff, M.J., 233
- Dargatz, H., see Köster, B., 183
 De Brij, R.J., see Crozatier, M., 127
 Den Engelse, L., see Crozatier, M., 127
 Doenhoff, M.J., Modha, J., Curtis, R.H.C. and Adeoye, G.O.
 Immunological identification of *Schistosoma mansoni* peptidases, 233
 Donelson, J.E., Duke, B.O.L., Moser, D., Zeng, W., Erondu, N.E., Lucius, R., Renz, A., Karam, M. and Zea Flores, G.
 Construction of *Onchocerca volvulus* cDNA libraries and partial characterization of the cDNA for a major antigen, 241
 Duke, B.O.L., see Donelson, J.E., 241
 Dupont, A., see Egwang, T.G., 251, 263
 Dvorak, J.A., Engel, J.C., Leapman, R.D., Swyt, C.R. and Pella, P.A.
 Trypanosoma cruzi: elemental composition heterogeneity of cloned stocks, 19
 Dvorak, J.A., see Finley, R.W., 133
- Edwards, M.R., see Gilroy, F.V., 107
 Egwang, T.G., Akué, J.-P., Dupont, A. and Pinder, M.
 The identification and partial characterization of an immunodominant 29–31 kilodalton surface antigen expressed by adult worms of the human filaria *Loa loa*, 263
 Egwang, T.G., Dupont, A., Akué, J.-P. and Pinder, M.
 Biochemical and immunochemical characterization of surface and excretory-secretory antigens of *Loa loa* microfilariae, 251
 Engel, J.C., see Dvorak, J.A., 19
 Erondu, N.E., see Donelson, J.E., 241
- Finley, R.W., Cooney, D.A. and Dvorak, J.A.
 Nucleoside uptake in *Trypanosoma cruzi*: analysis of a mutant resistant to tubercidin, 133
 Fong, D. and Lee, B.
 Beta tubulin gene of the parasitic protozoan *Leishmania mexicana*, 97
- Gardner, M.J., Bates, P.A., Ling, I.T., Moore, D.J., McCready, S., Gunasekera, M.B.R., Wilson, R.J.M. and Williamson, D.H.
 Mitochondrial DNA of the human malarial parasite *Plasmodium falciparum*, 11
 Garfinkel, L., see Huber, M., 27
 Gilroy, F.V., Edwards, M.R., Norton, R.S. and O'Sullivan, W.J.
 Metabolic studies of the protozoan parasite, *Cryptidium luciliæ*, using proton nuclear magnetic resonance spectroscopy, 107
 Gitler, C., see Huber, M., 27
 Goad, L.J., see Beach, D.H., 149
 Gottstein, B., see Vogel, M., 117
 Grieve, R.B., see Mok, M., 173
 Gunasekera, M.B.R., see Gardner, M.J., 11
- Haarmann, C., see Köster, B., 183
 Hansch, C., see Sirawaraporn, W., 79
 Haynes, J.D., see Miller, L.H., 217
 Hirzmann, J., see Köster, B., 183
 Holz, G.G., Jr., see Bach, D.H., 149
 Huber, M., Garfinkel, L., Gitler, C., Mirelman, D., Revel, M. and Rozenblatt, S.
 Nucleotide sequence analysis of an *Entamoeba histolytica* ferredoxin gene, 27
 Hudson, D., see Miller, L.H., 217
- Johnson, P.J., see Crozatier, M., 127
- Karam, M., see Donelson, J.E., 241
 Karcz, S.R., Barnard, B.J. and Podesta, R.B.
 Biochemical properties of a 24 kilodalton membrane glycoprotein antigen complex from *Schistosoma mansoni*, 163
 Kemp, D.J., see Triglia, T., 199
 Kennedy, M.W., Tierney, J., Ye, P., McMonagle, F.A.,

- McIntosh, A., McLaughlin, D. and Smith, J.W.
The secreted and somatic antigens of the third stage larva of *Anisakis simplex*, and antigenic relationship with *Ascaris suum*, *Ascaris lumbricoides*, and *Toxocara canis*, 35
- Kunz, W., see Köster, B., 183
- Köster, B., Dargatz, H., Schröder, J., Hirzmann, J., Haarmann, C., Symmons, P. and Kunz, W.
Identification and localisation of the products of a putative eggshell precursor gene in the vitellarium of *Schistosoma mansoni*, 183
- Leapman, R.D., see Dvorak, J.A., 19
- Lee, B., see Fong, D., 97
- Ling, I.T. and Wilson, R.J.M.
Glucose-6-phosphate dehydrogenase activity of the malaria parasite *Plasmodium falciparum*, 47
- Ling, I.T., see Gardner, M.J., 11
- Liu, M.K., see Richardson, J.P., 203
- Lucius, R., see Donelson, J.E., 241
- Lustigman, S., see Coppel, R.L., 223
- McCready, S., see Gardner, M.J., 11
- McIntosh, A., see Kennedy, M.W., 35
- McLaughlin, D., see Kennedy, M.W., 35
- McMonagle, F.A., see Kennedy, M.W., 35
- Mego, J.L., see Choi, I., 71
- Miller, L.H., Hudson, D. and Haynes, J.D.
Identification of *Plasmodium knowlesi* erythrocyte binding proteins, 217
- Mirelman, D., see Huber, M., 27
- Modha, J., see Doenhoff, M.J., 233
- Mok, M., Grieve, R.B., Abraham, D. and Rubin, W.
Solubilization of epicuticular antigen from *Dirofilaria immitis* third-stage larvae, 173
- Moore, D.J., see Gardner, M.J., 11
- Moser, D., see Donelson, J.E., 241
- Murray, L., see Coppel, R.L., 223
- Müller, N., see Vogel, M., 117
- Neal, R.A., see Sirawaporn, W., 79
- Norton, R.S., see Gilroy, F.V., 107
- O'Sullivan, W.J., see Gilroy, F.V., 107
- Pearson, T.W., see Richardson, J.P., 203
- Pedersen, P.L., see Barnard, J.P., 141
- Pella, P.A., see Dvorak, J.A., 19
- Pica-Mattoccia, L., Cioli, D. and Archer, S.
Binding of tritiated hycanthone and hycanthone *N*-methylcarbamate to macromolecules of drug-sensitive and drug-resistant schistosomes, 87
- Pinder, M., see Egwang, T.G., 251, 263
- Podesta, R.B., see Karcz, S.R., 163
- Renz, A., see Donelson, J.E., 241
- Revel, M., see Huber, M., 27
- Rhoads, M.L.
Purification, characterization, and immunochemical studies of β -N-acetyl-D-hexosaminidase from the parasitic nematode *Trichinella spiralis*, 57
- Richardson, J.P., Beecroft, R.P., Tolson, D.L., Liu, M.K. and Pearson, T.W.
Procyclin: an unusual immunodominant glycoprotein surface antigen from the procyclic stage of African trypanosomes, 203
- Rozenblatt, S., see Huber, M., 27
- Rudin, W., see Mok, M., 173
- Santi, D.V., see Sirawaporn, W., 79
- Schröder, J., see Köster, B., 183
- Seebeck, T., see Vogel, M., 117
- Sertsirvanich, R., see Sirawaporn, W., 79
- Silva, A., see Triglia, T., 199
- Sirawaporn, W., Sertsirvanich, R., Booth, R.G., Hansch, C., Neal, R.A. and Santi, D.V.
Selective inhibition of *Leishmania* dihydrofolate reductase and *Leishmania* growth by 5-benzyl-2,4-diaminopyrimidines, 79
- Smith, J.W., see Kennedy, M.W., 35
- Stahl, H.-D., see Triglia, T., 199
- Swyt, C.R., see Dvorak, J.A., 19
- Symmons, P., see Köster, B., 183
- Tierney, J., see Kennedy, M.W., 35
- Tolson, D.L., see Richardson, J.P., 203
- Triglia, T., Stahl, H.-D., Crewther, P.E., Silva, A., Anders, R.F. and Kemp, D.J.
Structure of a *Plasmodium falciparum* gene that encodes a glutamic acid-rich protein (GARP), 199
- Vogel, M., Gottstein, B., Müller, N. and Seebeck, T.
Production of a recombinant antigen of *Echinococcus multilocularis* with high immunodiagnostic sensitivity and specificity, 117
- Williamson, D.H., see Gardner, M.J., 11
- Wilson, R.J.M., see Gardner, M.J., 11
- Wilson, R.J.M., see Ling, I.T., 47
- Yarlett, N. and Bacchi, C.J.
Effect of DL- α -difluoromethylornithine on polyamine synthesis and interconversion in *Trichomonas vaginalis* grown in a semi-defined medium, 1
- Ye, P., see Kennedy, M.W., 35
- Zea Flores, G., see Donelson, J.E., 241
- Zeng, W., see Donelson, J.E., 241

Subject Index

- β -N-Acetyl-D-galactosaminidase, 57
- β -N-Acetyl-D-glucosaminidase, 57
- S-Adenosylmethionine, 1
- Adult worm, 263
- Affinity elution, 141
- Affinity-purified antibody, 163
- Anisakis simplex*, 35
- Antifolate, 79
- Antigen, 35, 57, 223
- Antigen characterization, 163
- Antigenic variation, 127
- Antimalarial, 71
- Arylamidase, 233
- Ascaridoidea, 35
- Ascaris lumbricoides*, 35
- Ascaris suum*, 35
- ATPase, 71
- Bioenergetics, 141
- Chagas' disease, 133
- Cloned stock, 19
- Cryptosporidium luciliiae*, 107
- Cycloguanil, 79
- Cytoskeleton, 223
- 5-(substituted-benzyl)-2,4-Diaminopyrimidines, 79
- Digestive vacuole, 71
- Dihydrofolate reductase, 79
- DL- α -Difluoromethylornithine, 1
- Dirofilaria immitis*, 173
- DNA alkylation, 87
- DNA sequence, 27
- cDNA cloning, 117
- cDNA library, 241
- Drug mechanisms, 87
- Drug resistance, 87
- Duffy blood group, 217
- Echinococcus multilocularis*, 117
- Egg-shell, 183
- Elemental analysis, 19
- Entamoeba histolytica*, 27
- Enzyme kinetics, 141
- Enzyme purification, 141
- Epicuticle solubilization, 173
- Epimastigote stage, 19
- Erythrocyte surface, 223
- Excretory/secretory antigen, 35
- Ferrodoxin gene, 27
- Filarioidea, 173
- Fluconazole, 149
- Gene expression, 183
- Gene structure, 199
- Genome size, 241
- Genomic library, 97
- Glucose metabolism, 107
- Glucose-6-phosphate dehydrogenase, 47
- Glutamic acid-rich protein (GARP), 199
- Glycosidase, 57
- High performance liquid chromatography, 1
- ¹H magnetic resonance spectroscopy, 107
- Hycanthone, 87
- Immunity, 251, 263
- Immunoblotting, 163
- Immunodiagnosis, 117
- Immunodominant antigen, 241
- Immunoelectrophoresis, 233
- Immunoscreening, 241
- Infective larva, 173
- Itraconazole, 149
- Ketoconazole, 149
- Kinetoplastida, 107
- Larval surface antigen, 173
- Leishmania*, 149
- Leishmania major*, 79
- Leishmania mexicana*, 97
- Loa loa*, 263
- Loa loa* microfilaria, 251
- Malaria, 71, 217
- Membrane glycoprotein, 163
- Mitochondrial small subunit rRNA, 11
- Monoclonal antibody, 173
- Multigene family, 27
- Nematode, 35, 263
- Nucleoside analysis, 127
- Nucleoside transport, 133
- Onchocerca volvulus*, 241
- Peptidase, 233
- Phosphorylation, 223
- Plasmodium falciparum*, 11, 71, 199, 223
- Plasmodium falciparum* malaria, 47
- Plasmodium knowlesi*, 11, 217
- Polyamine, 1
- Polyamine oxidase, 1
- Procyclic trypanosome, 203
- Procyclin, 203
- Promastigote, 149
- Protease, 233
- Protein crosslinking, 183
- Proteinase, 35
- Purine, 133

- Pyrimethamine, 79
Pyrimidine, 133
Pyruvate kinase, 141

Rabbit antisera, 233
Receptor, 217
Recombinant antigen, 117

Satellite DNA, 11
Schistosoma, 183
Schistosoma mansoni, 87, 163, 233
Sterol, 149
Succinate, 107
Surface antigen, 203, 251, 263
Surface-associated glycoprotein, 57

Telomere modification, 127
Toxocara canis, 35
Trichinella spiralis, 57
Trichomonas vaginalis, 1
Trimethoprim, 79
Trypanosoma brucei, 141
Trypanosoma brucei rhodesiense, 203
Trypanosoma cruzi, 19, 133
Trypanosome, 127
Tubercidin, 133
Tubulin, 97
β-Tubulin gene, 97

Unusual bases, 127
Unusual nucleosides, 127

Vitellarium, 183

